







# PROFILES




**LUXMATERIA**  
 / OSWIETLENIE ARCHITEKTONICZNE /



LTS 509


Low aluminum profile for surface and ceiling / suspension mounting




LTS 510

High aluminum profile for surface and ceiling / suspension mounting


## Light inserts




LTS 531



LTS 532




LTS 537



LTS 511

Low aluminum profile for recessed mounting




LTS 512


High aluminum profile for recessed mounting





LTS 533





LTS 534




LTS 535









LTS 536





**LUXMATERIA**  
/ OSWIETLENIE ARCHITEKTONICZNE /



Type		Power (W)	Lenght (mm)	CRI+CCT	Reflector (DEG)	Lumen output (lm)	Dimming	Colour
<b>Light inserts</b>								
	LTS 531 8/1 930 24DEG PM	8	235	930	24	500	ON / OFF DALI CASAMBI	BL (BLACK)
	LTS 532 8/1 930 24DEG PM	8	235	930	120	500	ON / OFF DALI CASAMBI	BL (BLACK)
	LTS 533 1/3 20DEG 930	3	44	930	24	220	ON / OFF DALI CASAMBI	BL (BLACK)
	LTS 534 1/10 24DEG 930	10	110	930	24	800	ON / OFF DALI CASAMBI	BL (BLACK)
	LTS 535 5/2 .30DEG 930	10	245	930	24	700	ON / OFF DALI CASAMBI	BL (BLACK)
	LTS 536 10/2 .30DEG 930	20	245	930	24	1400	ON / OFF DALI CASAMBI	BL (BLACK)



Type	Power (W)	Length (mm)	CRI+CCT	Reflector (DEG)	Lumen output (lm)	Dimming	Colour
------	-----------	-------------	---------	-----------------	-------------------	---------	--------

**Light inserts**



LTS 537 1/10 24DEG 930 PM	10	300	930	24	700	ON / OFF DALI CASAMBI	BL (BLACK)
---------------------------	----	-----	-----	----	-----	-----------------------------	------------

Type	Length (mm)	Colour
------	-------------	--------

**Aluminum profiles**




**Low aluminum profile for surface and ceiling / suspension mounting**

LTS 509 EP 1000 (cut to required length)	1000	WH (WHITE)
LTS 509 EP 2000 (cut to required length)	2000	BL (BLACK)



**High aluminum profile for surface and ceiling / suspension mounting**

LTS 510 EP 1000 (cut to required length)	1000	WH (WHITE)
LTS 510 EP 2000 (cut to required length)	2000	BL (BLACK)



**Low aluminum profile for recessed mounting**

LTS 511 EP 1000 (cut to required length)	1000	WH (WHITE)
LTS 511 EP 2000 (cut to required length)	2000	BL (BLACK)











**High aluminum profile for recessed mounting**

LTS 512 EP 1000 (cut to required length)	1000	WH (WHITE)
LTS 512 EP 2000 (cut to required length)	2000	BL (BLACK)




**Plastic blind cover for all types of profiles (optional)**

LTS 500 PBC	1000	WH (WHITE) BL (BLACK)
-------------	------	--------------------------

Type		Colour
<b>Electrical and mechanical connectors (for all types of profiles)</b>		
	<b>Electrical short end-feed</b> LTS 500 ESF ■	■ WH (WHITE) BL (BLACK)
	<b>Electrical straight connector</b> LTS 500 ESC ■	■ WH (WHITE) BL (BLACK)
	<b>Mechanical straight connector</b> LTS 500 MSC ■	■ WH (WHITE) BL (BLACK)
	<b>Electrical L connector</b> LTS 500 ELC ■	■ WH (WHITE) BL (BLACK)
	<b>Electrical flexible connector</b> LTS 500 EFC ■	■ WH (WHITE) BL (BLACK)
	<b>Mechanical L connector</b> LTS 500 MLC ■	
<b>End Caps</b>		
	LTS 509 EC ■	■ WH (WHITE) BL (BLACK)
	LTS 510 EC ■	■ WH (WHITE) BL (BLACK)





Type

Colour

**Power supply 230V/48W**



**Mounted above the recessed ceiling**

LTS 500 PS 48V DC 75 W

LTS 500 PS 48V DC 150 W



**Mounted on ceiling**

LTS 500 PS 48V DC 100 W CM



WH (WHITE)

BL (BLACK)



**Mounted on ceiling for hanging systems with 200 mm cable**

LTS 500 PS 48V DC 100 W CSM 2000



WH (WHITE)

BL (BLACK)

**L Junction 90 DEG horizontal for LTS 510**



LTS 510 HLJ



WH (WHITE)

BL (BLACK)

**Ceiling & suspension brackets**



LTS 509 SSB (only for LTS 509 profile)



WH (WHITE)

BL (BLACK)



LTS 509 SLB (only for LTS 509 profile)



WH (WHITE)

BL (BLACK)



LTS 510 SSB (only for LTS 510 profile)



LTS 510 SLB (only for LTS 510 profile)

Type

Colour

Ceiling & suspension brackets



LTS 509 SSB (only for LTS 509 profile)



WH (WHITE)

BL (BLACK)



LTS 500 CB



**Suspension Wire Kit**

LTS 500 SWK 2000